	Hits	Search Text	DBs
1	18	(((sequenc$6 with search$5 with ((higher or above or top or upper) near5 (director$3 or sub$1director$3 or categor$3 or class$3 or vector$1 or segment$1 or group$1))) and path$1) and (@ad < "20011221")) and (link$5 or reference$1 or hyper$1link$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	19	((sequenc$6 with search$5 with ((higher or above or top or upper) near5 (director$3 or sub$1director$3 or categor$3 or class$3 or vector$1 or segment$1 or group$1))) and path$1) and (@ad < ＂20011221＂)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	21	(sequenc$6 with search$5 with ((higher or above or top or upper) near5 (director$3 or sub$1director$3 or categor$3 or class$3 or vector$1 or segment$1 or group$1))) and path$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	36	(((((search near5 (backward or travers$5)) and sequenc$5) and (@ad < "20011221")) and (link$5 or reference$1 or hyper$1link$5)) and ((higher or above or top or upper) near5 (director$3 or sub$1director$3 or categor$3 or class$3 or vector$1 or segment$1 or group$1))) and (search$5 near3 sequ	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	36	((((((search near5 (backward or travers$5)) and sequenc$5) and (@ad < "20011221")) and (link$5 or reference$1 or hyper$1link$5)) and ((higher or above or top or upper) near5 (director$3 or sub$1director$3 or categor$3 or class$3 or vector$1 or segment$1 or group$1))) and (search$5 near3 sequenc$5)) not (sequenc$6 with search$5 with ((higher or above or top or upper) near5 (director$3 or sub$1director$3 or categor$3 or class$3 or vector$1 or segment$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	36	((((((search near5 (backward or travers$5)) and sequenc$5) and (@ad < "20011221")) and (link$5 or reference$1 or hyper$1link$5)) and ((higher or above or top or upper) near5 (director$3 or sub$1director$3 or categor$3 or class$3 or vector$1 or segment$1 or group$1))) and (search$5 near3 sequenc$5)) not (sequenc$6 with search$5 with ((higher or above or top or upper) near5 (director$3 or sub$1director$3 or categor$3 or class$3 or vector$1 or segment$1 or group$1)))) and (higher or above or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	59	sequenc$6 with search$5 with ((higher or above or top or upper) near5 (director$3 or sub$1director$3 or categor$3 or class$3 or vector$1 or segment$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	59	sequenc$6 with search$5 with ((higher or above or top or upper) near5 (director$3 or sub$1director$3 or categor$3 or class$3 or vector$1 or segment$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	236	((((search near5 (backward or travers$5)) and sequenc$5) and (@ad < "20011221")) and (link$5 or reference$1 or hyper$1link$5)) and ((higher or above or top or upper) near5 (director$3 or sub$1director$3 or categor$3 or class$3 or vector$1 or segment$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	857	(((search near5 (backward or travers$5)) and sequenc$5) and (@ad < "20011221")) and (link$5 or reference$1 or hyper$1link$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	885	((search near5 (backward or travers$5)) and sequenc$5) and (@ad < "20011221")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	1110	(search near5 (backward or travers$5)) and sequenc$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	1801	search near5 (backward or travers$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	0	search near5 sequenc$5 near5 higher near5 directories	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	0	search$5 with sequenc$5 with higher with directories	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	0	search$5 with sequenc$5 with (higher or top or upper or above) with directories	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB